



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

NATURALIST'S REPORT.

From the 20th January to the 20th February, 1813.

- Jan. 22, Snow-drops (*Galanthus nivalis*), and Crocus emerging.
 25, Hedge Sparrow (*Motacilla modularis*), began to sing.
 28, Wood Lark (*Alauda arborea*), singing.
 Feb. 1, Snow drops almost blown.
 10, Yellow Hammer (*Emberiza citrinella*), began to sing.
 11, Chaffinch (*Fringilla cœlebs*), began to sing.
 13, Some flowers blown on the Mezereon (*Daphne Mezereon*), and Single Blue Hepatica (*Anemone Hepatica*).
 15, On sunny banks, some flowers of the common Primrose (*Primula vulgaris*) appeared; and common Lark (*Alauda arvensis*), began to sing.
 20, In warm situations, some flowers of the common Yellow Crocus (*Crocus Masiacus*), and white and purple striped Crocus (*Crocus biflorus*), expanded.

 METEOROLOGICAL REPORT.

From the 20th January to the 20th February, 1813.

- Jan. 21,.....Frosty morning; dark, fine day.
 22,.....Fine, dark day.
 23—31,.....Frosty mornings, and fine days.
 Feb. 1,.....Some slight showers.
 2,.....Fine day.
 3—4,.....Dark, fine days.
 5,.....Fine day; rain at night.
 6,.....Apparently frost during the preceding night; fine day; rain at night.
 7,.....Showery.
 8,.....Dry day; showery and stormy at night.
 9,.....Heavy snow showers, with squalls.
 10,.....Dark, dry day.
 11,.....Wet day, and stormy wet night.
 12,.....Dark day, threatening rain; very windy, wet night.
 13,.....Dry day; rain at night.
 14,.....Dark, stormy morning; fine evening.
 15,.....Fine morning; wet day; very high wind from the W.S.W. at night, with rain in the low-lands, and snow on the mountain, so as to whiten them half way down.
 16,.....Very stormy morning; calm towards evening; mountain tops still white.
 17,.....Wet day, and very stormy and wet at night.
 18,.....Stormy night, and very heavy showers during the day.
 19,.....Heavy rain in the afternoon.
 20,.....Dry day; stormy, wet night.

There has been little variation observed in the Barometer during this period; it stood at 30.5 February the 1st; on the second and third at 30.4; on the 15th, 16th, and 18th, it was down to 28.8; the rest of the time it varied between 29 and 30.

The Thermometer was as high as 50° on the 8th of February, at 8, A.M.; on the 27th of January at 8½, A.M., it was as low as 29°; the rest of the time it varied from the freezing point as high as 45°.

The wind was observed 14 times S.W.; 4 W.; 3 N.W.; so that the prevalence has been completely Westerly.